
PORTABLE POWER STATIONS

LIGHTWEIGHT, RECHARGEABLE LITHIUM-ION POWER SOURCES



TAKE THESE ENVIRONMENTALLY FRIENDLY POWER SOURCES ANYWHERE

Cummins Power Stations provide temporary, off-the-grid power. With their rugged cases and rechargeable lithium-ion batteries, they can power both indoor and outdoor activities. Silent, fume-free and low maintenance, they only require recharging via 110-volt wall current or solar panels.



**FOR
A WORLD
THAT'S
ALWAYS ON™**

PORTABLE POWER STATIONS SPEC SHEET



Model	Onan PS160	Onan PS200	Onan PS300	Onan PS600	Onan PS1000
Watt Hours (Wh)	155 Wh	194 Wh	296 Wh	592 Wh	1,008 Wh
Running Watts	100 W	150 W	300 W	600 W	1,500 W
Peak Watts	150 W	300 W	600 W	1,200 W	3,000 W
Remaining Battery Life Display	Yes	Yes	Yes	Yes	Yes
AC/DC Wattage Output Display	No	Yes	Yes	Yes	Yes
Sine Wave Type	Modified sine wave	Modified sine wave	Pure sine wave	Pure sine wave	Pure sine wave
Battery Type	Lithium-ion	Lithium-ion	Lithium-ion	Lithium-ion	Lithium-ion
Charge Time	6 hrs.	4 hrs.	5 hrs.	7-8 hrs.	2 hrs.
AC Outlets	(2) 120 V standard household outlets	(2) 120 V standard household outlets	(2) 120 V standard household outlets	(2) 120 V standard household outlets	(6) 120 V standard household outlets
DC Outlets	(2) USB-A (1) USB QC 3.0 (1) USB-C (3) 5.5mm 9-12V	(1) USB-A (1) USB QC 3.0 (1) USB-C (1) 6mm 9-12.6V	(1) USB-A (1) USB QC 3.0 (1) USB-C (1) 6mm 9-12.6V (1) 12V 8A car cigarette lighter outlet	(1) USB-A (2) USB QC 3.0 (1) USB-C (1) 6mm 9-12.6V (1) 12V 8A car cigarette lighter outlet	(2) USB-A (2) USB QC 3.0 (2) USB-C (1) 12V 8A car cigarette lighter outlet
Light with SOS mode	No	Yes	Yes	Yes	No
Charging Port	5.5 mm	8 mm	8 mm	8 mm	XT-60
Overload Protection	Yes	Yes	Yes	Yes	Yes
Dimensions	8.14 x 3.77 x 7	8 x 3.6 x 7.36	9.1 x 5 x 8.9	11.8 x 6.5 x 11.5	12.4 in x 8.0 in x 12.3 in.
Weight	3.75 lb.	4 lb.	6.5 lb.	11 lb.	31 lb.
Certifications	BC ✓ RoHS FC	BC ✓ RoHS FC	BC ✓ RoHS FC	BC ✓ RoHS FC	BC ✓ RoHS FC



Cummins Inc.
 Box 3005
 Columbus, IN 47202-3005
 U.S.A.

cummins.com

Bulletin 6380835 Produced in U.S.A. 3/22
 ©2022 Cummins Inc.